



Hand protection

EOS VV906JA

SLIGHTLY SHARP AND NON INTENSIVE WORK

Cut and sewn impact glove for multi-purpose work, with excellent grip in oily environments thanks to its PVC dots.



Specific benefits



Durability

- Tested before and after washing: performance unchanged



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Hygiene

- Washable glove, so it can be reused



Performance

- Flexible reinforcements for added protection against impact and pinching

Certifications and norms



EN 388
3 X 4 4 B P



EN 407
X 1 X X X X



A2 6 5



ANSI ISEA 138
LEVEL 1

Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Light Industry**
- **Maintenance**
- **Oil & Gas (Extraction)**

Risk Protection



Heat



Shock



Cutting



Slip



Hand protection

EOS VV906JA

SLIGHTLY SHARP AND NON INTENSIVE WORK

Cut and sewn impact glove for multi-purpose work, with excellent grip in oily environments thanks to its PVC dots.

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
4 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical Glove Type	Cut Sewn
Special gloves kind	Impact
Dots material	PVC Dots
Cuff characteristic	Sewn open cuff with elastic
Benefits element	Vendor pack
Color	Yellow
Size	7, 8, 9, 10, 11, 12
Type of conditioning	Header card

Packaging

Sale unit: Header card
60 pairs /box



Safety gloves

EOS VV906JA

SLIGHTLY SHARP AND NON INTENSIVE WORK

Cut and sewn impact glove for multi-purpose work, with excellent grip in oily environments thanks to its PVC dots.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV906JA07	Yellow	07	EOS VV906JA	3295249308025	13295249308022	60	12	15.35 kg	32.0 cm	70.0 cm	23.0 cm
VV906JA08	Yellow	08	EOS VV906JA	3295249308032	13295249308039	60	12	15.77 kg	32.0 cm	70.0 cm	23.0 cm
VV906JA09	Yellow	09	EOS VV906JA	3295249308049	13295249308046	60	12	16.2 kg	23.0 cm	70.0 cm	32.0 cm
VV906JA10	Yellow	10	EOS VV906JA	3295249308056	13295249308053	60	12	16.7 kg	23.0 cm	70.0 cm	32.0 cm
VV906JA11	Yellow	11	EOS VV906JA	3295249308063	13295249308060	60	12	18.09 kg	23.0 cm	70.0 cm	32.0 cm
VV906JA12	Yellow	12	EOS VV906JA	3295249308070	13295249308077	60	12	18.59 kg	23.0 cm	70.0 cm	32.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height