



SRL W/ LEADING EDGE; 30 FT

HÖHENSICHERUNGSGERÄTE

Absturzsicherung



Anwendung

- Bauwesen
- Schwerindustrie
- Instandhaltung
- Chemieindustrie
- Öl- & Gasindustrie
- Bergbauindustrie

Zertifikationen und normen

ANSI Z359.11-2014



CSA Z259.10-18

Schützt gegen



Absturz



SRL W/ LEADING EDGE; 30 FT

HÖHENSICHERUNGSGERÄTE

Absturzsicherung

Details - Normen

Technische Details

Zusammensetzung des Materials	Verzinkter Stahl
Länge (m)	9,144
Farbe	Schwarz
Zusätzlicher Vorteil	Komfort, Leading edge
Steckverbinder (Strukturseite)	3/4" Karabinerhaken mit rückseitigem Spleiß
Verwendung	Zum Ab- und Aufsteigen, Für vertikale Bewegung
Absturzgefährdung	Vertikale bewegung an fixen Installationen
Länge (ft)	30
Verwendung des Aufrollers	Vertikal



Fall protection

SRL W/ LEADING EDGE; 30 FT

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA121LE	Black	-	SRL W/ LEADING EDGE; 30 FT	3295249312510	13295249312517	1	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height