



SRL W/ LEADING EDGE; 30 FT

VALBEVEILIGINGSSYSTEEM MET AUTOMATISCHE LIJNSPANNER

Valbescherming



Toepassing

- Bouw & Constructie
- Zware industrie
- Onderhoud
- Chemische industrie
- Olie en Gas(winning)
- Mijnbouw

Certificeringen en normen

ANSI Z359.11-2014



CSA Z259.10-18

Beschermt tegen



Val



SRL W/ LEADING EDGE; 30 FT

VALBEVEILIGINGSSYSTEEM MET AUTOMATISCHE LIJNSPANNER

Valbescherming

Normen - Details

Technische details

Samenstelling van de hoofdsteen	Gegalvaniseerd staal
Lengte (m)	9,144
Kleur	Zwart
Extra voordeel	Comfort, Leading edge
Connector (structuurzijde)	3/4" karabijnhaak met back splice
Gebruik	Voor dalen en stijgen, Voor verticale beweging
Werk situaties met valbeveiliging	Vertikale verplaatsingen op een vaste structuur
Lengte (ft)	30
Gebruik van de haspel	Verticaal



Fall protection

SRL W/ LEADING EDGE; 30 FT

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA121LE	Black	-	SRL W/ LEADING EDGE; 30 FT	3295249312510	13295249312517	1	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height