



SRL W/ LEADING EDGE; 30 FT

URZĄDZENIA SAMOHAMOWNE

Ochrona przed upadkiem



Obszar użytkowania

- Budownictwo
- Przemysł ciężki
- Konserwacja
- Przemysł chemiczny
- Ropa i gaz (wydobycie)
- Górnictwo

Certyfikaty i normy



CSA Z259.10-18

Chroni przed



Upadek



SRL W/ LEADING EDGE; 30 FT

URZĄDZENIA SAMOHAMOWNE

Ochrona przed upadkiem

Szczegóły - Normy

Dane techniczne

Skład głównego wkładu	Stal galwanizowana
Długość (m)	9.144
Kolor	Czarny
Dodatkowa zaleta	Komfort, Praca na krawędziach
Łącznik (po stronie konstrukcji)	Karabińczyk 3/4" z tylnym łączeniem
Użytkowanie	Zjazd i podjazd, Ruch pionowy
Ochrona przed upadkiem z wysokości w miejscu pracy	Przemieszczanie pionowe na stałej strukturze
Długość (ft)	30
Use of self retracting	Vertical



Fall protection

SRL W/ LEADING EDGE; 30 FT

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA121LE	Black	-	SRL W/ LEADING EDGE; 30 FT	3295249312510	13295249312517	1	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height