



SRL W/ LEADING EDGE; 30 FT

ANTI-QUEDAS COM CURSO DE RETORNO AUTOMÁTICO

Proteção anti-quedas



Área de utilização

- Edificação
- Indústria pesada
- Manutenção
- Indústria química
- Petróleo e gás (extração)
- Indústria mineira

Certificações e normas

ANSI Z359.11-2014



CSA Z259.10-18

Protege contra



Queda



SRL W/ LEADING EDGE; 30 FT

ANTI-QUEDAS COM CURSO DE RETORNO AUTOMÁTICO

Proteção anti-quedas

Detalhes - Normas

Detalhes técnicos

Composição do suporte principal	Aço galvanizado
Comprimento (m)	9,144
Cor	Preto
Vantagem adicional	Conforto, Leading edge
Conector (lado da estrutura)	2 mosquetões 3/4 com emenda traseira
Utilização	Para descida e subida, Para movimento vertical
Situações de trabalho antiqueda	Grandes deslocções verticais em instalação permanente
Comprimento (ft)	30
Utilização do enrolador	Vertical



Fall protection

SRL W/ LEADING EDGE; 30 FT

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA121LE	Black	-	SRL W/ LEADING EDGE; 30 FT	3295249312510	13295249312517	1	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height