



SRL W/ LEADING EDGE; 30 FT

ΑΝΤΙΠΤΩΣΗ ΑΥΤΟΜΑΤΗΣ ΕΠΑΝΑΦΟΡΑΣ

Αντιπτωτική προστασία



Περιοχή χρήσης

- Οικοδομική βιομηχανία
- Βαρια βιομηχανία
- Συντήρηση
- Χημική βιομηχανία
- Εξόρυξη πετρελαίου & φυσικού αερίου
- Ορυχεία

Πιστοποιήσεις και Προτυπα



CSA Z259.10-18

Προστατεύει από



Πτώση



SRL W/ LEADING EDGE; 30 FT

ΑΝΤΙΠΤΩΣΗ ΑΥΤΟΜΑΤΗΣ ΕΠΑΝΑΦΟΡΑΣ

Αντιπτωτική προστασία

Λεπτομερείες - Προτυπα

Τεχνικές λεπτομέρειες

Σύνθεση του κύριου υποστηρίγματος	Γαλβανισμένος χάλυβας
Μήκος (m)	9.144
Χρώμα	Μαύρο
Πρόσθετο πλεονέκτημα	Άνεση, Αιχμή
Σύνδεσμος (πλευρά κατασκευής)	Άγκιστρο 3/4" με πίσω σύνδεση
Χρήση	Για κάθοδο και ανάβαση, Για κάθετη κίνηση
Εργασίες με αντιπτωτική προστασία	Καθετη μετατοπιση σε μονιμη εγκατασταση
Μήκος (ft)	30
Use of self retracting	Vertical



Fall protection

SRL W/ LEADING EDGE; 30 FT

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA121LE	Black	-	SRL W/ LEADING EDGE; 30 FT	3295249312510	13295249312517	1	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height