



FLAT ROOFER'S BRACKET W/ 2 D-RINGS

АНКЕРНИЙ ПРИСТРІЙ

Захист від падіння



Переваги



Сумісність

• Під'єднується до лямкового поясу та тримача інструменту

Додатки

- Обслуговування об'єктів громадської інфраструктури
- Будівництво
- Ремонтні роботи / Ремісництво
- Важка промисловість
- Легка промисловість
- Нафта й газ (видобуток)

Сертифікати і стандарти



CSA Z259.12

Захищає від



Падіння з висоти



enjoy safety.

Edit 15/03/2026
www.deltaplus.eu



FLAT ROOFER'S BRACKET W/ 2 D-RINGS

АНКЕРНИЙ ПРИСТРІЙ

Захист від падіння

Деталі - Стандарти

Технічні деталі

Тип обладнання	Кронштейн для покрівлі з 2-ма точками
Матеріал основи	Нержавіюча сталь
Включені елементи	D-кільце для кріплення інструменту з обох боків
Колір	Сірий
Розмір	Один розмір
Тип упаковки	Упаковка 10 шт
Weight (lbs)	2.20



Fall protection

FLAT ROOFER'S BRACKET W/ 2 D-RINGS

ANCHORAGE DEVICES

Our flat roofer's bracket with double D-rings allows workers to attach their fall protection equipment, such as lanyards or lifelines, securely to the bracket.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA21300	Grey	30 m	FLAT ROOFER'S BRACKET W/ 2 D-RINGS	776285852130	10776285852135	12	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height