



APOLLON VV733

WORKS IN WET ENVIRONMENT

Hand protection



Specific benefits



Performance

- Lightweight for optimal dexterity



Visibility

- Fluorescent backing for easy visual identification of the glove

Applications

- Agriculture
- Public Works
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Forestry

Certifications and norms



EN 388
2 1 2 1 X



A1 3 2

Risk Protection



Wearing



enjoy safety

Edit 15/07/2026
www.deltaplus-usa.com



APOLLON VV733

WORKS IN WET ENVIRONMENT

Hand protection

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE

1 [0-5] CUT RESISTANCE

2 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyester
Coating Level	Palm Coating
Coating Material	Latex
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Gauge	13
Color	Fluorescent Yellow-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag

120 pairs /box



APOLLON VV733

WORKS IN WET ENVIRONMENT

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WELVV73307	Fluorescent yellow-Black	07	APOLLON VV733	840423202458	10840423202455	120	12	0.0 kg	34.0 cm	63.0 cm	15.0 cm
WELVV73308	Fluorescent yellow-Black	08	APOLLON VV733	840423202472	10840423202479	120	12	0.0 kg	34.0 cm	63.0 cm	15.0 cm
WELVV73309	Fluorescent yellow-Black	09	APOLLON VV733	840423202489	10840423202486	120	12	0.0 kg	34.0 cm	63.0 cm	15.0 cm
WELVV73310	Fluorescent yellow-Black	10	APOLLON VV733	840423202496	10840423202493	120	12	0.0 kg	34.0 cm	63.0 cm	15.0 cm
WELVV73311	Fluorescent yellow-Black	11	APOLLON VV733	840423202502	10840423202509	120	12	0.0 kg	34.0 cm	63.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height