



SRL W/ LEADING EDGE; 30 FT

ANTICAÍDAS RETRÁCTILES

Sujeción de Carga-Izaje de
carga-Protección en Altura



Aplicaciones

- Edificación
- Industria pesada
- Mantenimiento
- Industria química
- Petróleo y gas (extracción)
- Industria minera

Certificaciones y normas

ANSI Z359.11-2014



CSA Z259.10-18

Protección contra



Caídas



SRL W/ LEADING EDGE; 30 FT

ANTICAÍDAS RETRÁCTILES

Sujeción de Carga-Izaje de
carga-Protección en Altura

Detalles - Normas

Detalles técnicos

Composición del soporte principal	Acero galvanizado
Largo (m)	9,144
Color	Negro
Elemento de beneficios	Confort, Vanguardia
Conector (lado estructura)	Mosquetón de 3/4" con empalme posterior
Uso	Para ascenso y descenso, Para movimiento vertical
Situaciones de trabajo anticaídas	Desplazamiento vertical en instalación permanente
Longitud (ft)	30
Utilización del carrete	Vertical



Fall protection

SRL W/ LEADING EDGE; 30 FT

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA121LE	Black	-	SRL W/ LEADING EDGE; 30 FT	3295249312510	13295249312517	1	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height