



Zaštita ruku

VV915

DUGOTRAJNI POSLOVI REZANJA

Rukavice koje štite od udaraca za teške poslove s pojačanjima na dlanovima i potpuno nepropusne zahvaljujući nitrilnoj prevlaci.



Prednosti



Izdržljivost

- Testirano prije i poslije pranja: performanse nepromijenjene
- Dulji vijek trajanja zahvaljujući dvostrukom premazu koji je jako otporan na abrazije



Jednostavna upotreba

- Zatvarač na čičak za bolje držanje zgloba



Higijena

- Periva rukavica za višestruku upotrebu
- Zahvaljujući nitrilu ne postoji rizik od izazivanja alergijskih reakcija kod korisnika



Performanse

- Fleksibilna ojačanja koja jamče povećanu zaštitu od udaraca i priklještenja

Certifikati i standardi



EN 388
4 X 4 3 D P



EN 407
X 1 X X X X



A4 6 5



ANSI ISEA 138
RAZINA 1

Štiti od



Toplina



Šok



Rezanje



Zaštita ruku

VV915

DUGOTRAJNI POSLOVI REZANJA

Rukavice koje štite od udaraca za teške poslove s pojačanjima na dlanovima i potpuno nepropusne zahvaljujući nitrilnoj prevlaci.

Pojedinosti - Standardi



EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

X [0-4] PONAŠANJE PRI GORENJU
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Rukavica otporna na udarce
Vrsta mehaničke rukavice	Pletena
Posebna vrsta rukavica	Učinak
Od tkanine	Elastan, Stakloplastika, Najlon, Poliester, Spandex
Razina premaza	Potpuni premaz osim zapešća
Vrsta premaza	Nitril
Završni premaz	Glatko, Prianjujući teksturirani materijal
Broj premaza	Dvoslojni premaz
Debljina	15
Osnovne značajke manžete	Manžeta s čičak trakom
Dodatna pogodnost	Perivo, Može se prikvačiti
Boja	Žuta-Siva-Crna
Veličina	7, 8, 9, 10, 11, 12
Vrsta pakiranja	Etiketa

Pakiranje

Prodajna jedinica: Etiketa
60 parovi /kutija



Safety gloves

VV915

LONG-LASTING CUT WORK

Impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV915JA07	Yellow-Grey-Black	07	VV915	3295249305765	13295249305762	60	12	13.47 kg	25.0 cm	32.4 cm	70.4 cm
VV915JA08	Yellow-Grey-Black	08	VV915	3295249305710	13295249305717	60	12	13.71 kg	25.0 cm	32.0 cm	70.0 cm
VV915JA09	Yellow-Grey-Black	09	VV915	3295249305727	13295249305724	60	12	15.15 kg	25.0 cm	32.0 cm	70.0 cm
VV915JA10	Yellow-Grey-Black	10	VV915	3295249305734	13295249305731	60	12	16.2 kg	25.0 cm	32.0 cm	70.0 cm
VV915JA11	Yellow-Grey-Black	11	VV915	3295249305741	13295249305748	60	12	18.06 kg	25.0 cm	32.0 cm	70.0 cm
VV915JA12	Yellow-Grey-Black	12	VV915	3295249305758	13295249305755	60	12	18.12 kg	25.0 cm	32.0 cm	70.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height