



REUSEABLE ROOFER'S BRACKET W/ D-RING

ANKRAJ CİHAZLARI

Düşme önleme



Uygulamalar

- Kamu işleri
- Yapı
- İkinci iş / Zanaatkarlar
- Ağır sanayi
- Hafif sanayi
- Petrol ve Gaz (çıkarma)

Sertifikalar ve standartlar



CSA Z259.12

Karşı korur



Düşme



REUSEABLE ROOFER'S BRACKET W/ D-RING

ANKRAJ CİHAZLARI

Düşme önleme

Detaylar - Standartlar

Ürün bilgileri

Ekipman Türü	Menteşeli ankrajlı dövme ankraj montaj plakası D
Ana destek yapısı	Çelik
Renk	Kırmızı
Ek avantaj	Arka ankraj erişimi
Weight (lbs)	2.50
Düşmeye karşı çalışma koşulları	Uzun dikey hareket ya da eğimli yüzeylerde hareket, Kısa dikey hareket ya da eğimli yüzeylerde hareket (3m'den az), Uzun yatay hareket ya da yatay yüzey, Dikey yapıda uzun yatay hareket



Fall protection

REUSEABLE ROOFER'S BRACKET W/ D-RING

ANCHORAGE DEVICES

Forged steel anchorage mounting plate, when is properly installed, provides a safe anchorage point with a minimum tensile strength of 5000 lbs.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA22100	Red	30 m	REUSEABLE ROOFER'S BRACKET W/ D- RING	776285852213	10776285852210	30	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height