



ROOFER'S BRACKET WITH D-RING

DISPOSITIVOS DE ANCORAGEM

Proteção anti-quedas



Aplicação

- Obras públicas
- Edifício
- Acabamento / artesãos
- Petróleo e gás (extração)
- Indústria de mineração
- Petroquímicos

Certificações e normas



CSA Z259.12

Proteção contra riscos



Queda



ROOFER'S BRACKET WITH D-RING

DISPOSITIVOS DE ANCORAGEM

Proteção anti-quedas

Detalhes - Normas

Detalhes técnicos

Tipo de equipamento	Suporte para telhado
Composição do suporte principal	Aço
Dispositivo de ancoragem	Fixação
Artigos incluídos	(16) Parafusos nº 12 de 2 7/8 com cabeça panela Phillips nº 3
Cor	Verde
Peso (lbs)	1.8
Utilização	Para movimento vertical



Fall protection

ROOFER'S BRACKET WITH D-RING

ANCHORAGE DEVICES

Stamped steel reusable peak roofing anchor, ensures correct alignment of the lifeline connector.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA21100	Green	30 m	ROOFER'S BRACKET WITH D- RING	776285852114	10776285852111	20	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height