



Fall protection

CARABINERS ALUM 2" KWIKLOCK

ANCHORAGE DEVICES

Screw lock karabiners can be attached to bolts, anchors, or other fixed points to provide a secure attachment for ropes, slings, or other equipment.



Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry

Certifications and norms

ANSI-ASSE Z359.12:2009



CSA Z259.12

Risk Protection



Fall



Fall protection

CARABINERS ALUM 2" KWIKLOCK

ANCHORAGE DEVICES

Screw lock karabiners can be attached to bolts, anchors, or other fixed points to provide a secure attachment for ropes, slings, or other equipment.

Standards - Details

Technical details

Type of equipment	Screw Karabiner
Composition of the main support	Galvanized steel
Gate opening (mm)	17
Opening (inch)	0.6681
Lock	Automatic system, Manual system
Fastening	Screw
Color	Green
Breaking Strength (Kn)	23



Fall protection

CARABINERS ALUM 2" KWIKLOCK

ANCHORAGE DEVICES

Screw lock karabiners can be attached to bolts, anchors, or other fixed points to provide a secure attachment for ropes, slings, or other equipment.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA21000	Green	30 m	CARABINERS ALUM 2" KWIKLOCK	776285852107	10776285852104	1	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height