



El Koruma

VENICUT55

ÇOK KESKİN OLMAYAN; UZUN SÜREN ÇALIŞMA



Uygulamalar

- Kamu işleri
- Yapı
- İkinci iş / Zanaatkarlar
- Üretim / İşleme
- Otel ve restoranlar
- Bakım

Sertifikalar ve standartlar

CE KATEGORİ II



EN 388
3 X 4 X C



EN 407
X 1 X X X X



A3 X X

Karşı korur



Isı



Kesme



Aşınma



VENICUT55

ÇOK KESKİN OLMAYAN; UZUN SÜREN ÇALIŞMA

El Koruma

Detaylar - Standartlar



EN388:2016+A1:2018

3 [0-4] AŞINMA DİRENCİ
X [0-5] KESİLME DİRENCİ
4 [0-4] TEAR RESİSTANCE
X [0-4] PIERCE RESİSTANCE
C [A-F] CUT RESİSTANCE ISO 13997



EN 407

X [0-4] YANGINDA DAVRANIŞ
1 [0-4] CONTACT HEAT RESİSTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESİSTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Ürün bilgileri

Eldiven tipi	Mekanik eldiven
Eldiven ailesi	Kaplamalı örme eldiven
Mekanik eldiven tipi	Örme
Elyaf	HEATnocut
Kaplama seviyesi	Avuç içi kaplama
Kaplama malzemesi	Nitril
Kaplama bitişi	Düz
Kaplama sayısı	Tek kaplama
Ölçü	10
Renk	Sarı-Gri
Boyutlar	7, 9, 10
Paketleme tipi	bireysel çantada

Paketleme

Satış birimi: bireysel çantada
120 çiftler / kutu



Safety gloves

VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5507	Yellow-Grey	07	VENICUT55	0	0	120	12	10.7 kg	30.4 cm	65.8 cm	28.0 cm
VECUT5509	Yellow-Grey	09	VENICUT55	0	0	120	12	12.0 kg	30.2 cm	66.2 cm	29.6 cm
VECUT5510	Yellow-Grey	10	VENICUT55	0	0	120	12	12.6 kg	30.6 cm	66.4 cm	28.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height