



手部防护

NI175

油性环境工作

全涂层防水机械手套，提供掌背保护



具体优势



耐用性

· 高质量的涂层延长了手套的使用寿命，并为手部提供了卓越的保护



卫生环保

· 丁腈涂层，使用者无过敏风险



高性能

· 丁腈涂层让使用者在油腻的环境中工作时，对接触物具备良好的抓握力

标准和认证



EN 388
3 1 1 1 X

应用行业

- 公共工程
- 建筑业
- 汽车业
- 采矿
- 临时作业
- 公共服务

防范风险



磨损



enjoy safety.

编辑 01/09/2026
www.deltaplus.com.cn



手部防护

NI175

油性环境工作

全涂层防水机械手套，提供掌背保护

详细信息 - 标准



EN388:2016+A1:2018

3 [0-4] 耐磨

1 [0-5] 防切割

1 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

X [A-F] CUT RESISTANCE ISO 13997

技术细节

手套类别	机械防护手套
手套类别	裁切缝合的织物涂层手套
机械手套类	裁剪及缝纫
纬纱	棉
涂层水平	除手腕外全涂层
涂层材质	丁腈
涂层饰面	抓纹涂层
涂层数	单涂层
内衬材质	棉布
袖口特征	宽大安全袖口
产品优势	Reach
颜色	蓝色
尺码	9, 10, 11
包装类型	散装

包装

销售单位: 散装

120 成对/箱



Safety gloves

NI175

WORKS IN OILY ENVIRONMENT

Fully coated, waterproof, mechanical glove, offering back of hand protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
NI17509	Blue	09	NI175	3295249044008	13295249044005	120	12	15.9 kg	26.6 cm	63.8 cm	39.0 cm
NI17510	Blue	10	NI175	3295249034382	13295249034389	120	12	17.4 kg	26.8 cm	70.6 cm	38.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height