



Hand protection

APOLLON WINTER CUT VV737

THERMAL COLD WORKS

A5 rated cut-resistant thermal glove; ideal for cold environments



Specific benefits



Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C



Visibility

· Fluorescent backing for easy visual identification of the glove

Applications

- Agriculture
- Public Works
- Building
- Maintenance
- Automotive
- Temporary Work

Certifications and norms



EN 388
3 X 4 3 E



EN 511
X
3
X



A5 X X

Risk Protection



Cold



enjoy safety.

Edit 17/09/2026
www.deltaplus-usa.com



Hand protection

APOLLON WINTER CUT VV737

THERMAL COLD WORKS

A5 rated cut-resistant thermal glove; ideal for cold environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

E [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Special gloves kind	Cold
Fiber	Acrylic, PEHD
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Gauge	10
Benefits element	High-Viz, Reach, Vendor pack, Azo Free
Color	Fluorescent Yellow-Black
Size	8, 9, 10, 11
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag

60 pairs /box



Safety gloves

APOLLON WINTER CUT VV737

THERMAL COLD WORKS

Level E cut-resistant thermal glove, ideal for extreme cold environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV737JA08	Fluorescent yellow-Black	08	APOLLON WINTER CUT VV737	3295249213282	13295249213289	60	12	7.9 kg	27.2 cm	65.4 cm	24.0 cm
VV737JA09	Fluorescent yellow-Black	09	APOLLON WINTER CUT VV737	3295249213244	13295249213241	60	12	8.1 kg	28.2 cm	68.6 cm	23.0 cm
VV737JA10	Fluorescent yellow-Black	10	APOLLON WINTER CUT VV737	3295249213251	13295249213258	60	12	8.9 kg	29.6 cm	68.2 cm	22.4 cm
VV737JA11	Fluorescent yellow-Black	11	APOLLON WINTER CUT VV737	3295249213268	13295249213265	60	12	8.8 kg	29.4 cm	67.2 cm	25.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height