



Zaštita ruku

VENICUT F XTREM CUT - VENICUTF01

INTENZIVNI POSLOVI REZANJA

Rukavica za zaštitu od posjekotina razine F, za teške radove, idealna pri radu s uljima ili vodom



Prednosti



Jednostavna upotreba

• Korisnici ne osjećaju nelagodu na zapešćima kada ih koriste dulje vrijeme



Performanse

• Vlakna Xtrem CUT koja pružaju udobnost i fleksibilnost te najvišu razinu zaštite od posjekotina na tržištu
• Nitrilni premaz omogućuje osobama koje rade u okruženju u kojem ima ulja i masti lakše držanje predmeta kojima se rukuje.

Područje upotrebe

- Poljoprivreda
- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska

Certifikati i standardi



EN 388
4 X 4 3 F



EN 407
X 1 X X X X



A6 X X

Štiti od



Rezanje



Habanje



Perforacija



enjoy safety.

Edit 05/08/2026
www.deltaplus.eu



Zaštita ruku

VENICUT F XTREM CUT - VENICUTF01

INTENZIVNI POSLOVI REZANJA

Rukavica za zaštitu od posjekotina razine F, za teške radove, idealna pri radu s uljima ili vodom

Pojedinosti - Standardi



EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] PONAŠANJE PRI GORENJU
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Od tkanine	Xtremcut
Razina premaza	Premaz dlana
Vrsta premaza	Nitril
Završni premaz	Prianjujući teksturirani materijal
Broj premaza	Jednoslojni premaz
Debljina	13
Osnovne značajke manžete	Duga manšeta
Dužina manšete (mm)	100
Dodatna pogodnost	Reach, Može se prikvačiti, Dugi rukav (>290 mm)
Boja	Siva-Crna
Veličina	6, 7, 8, 9, 10, 11
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama

Pakiranje

Prodajna jedinica: Prodaje se u pojedinačnim vrećicama
60 parovi /kutija



Safety gloves

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

Level F cut-resistant glove ideal for heavy duty work in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF01NO06	Grey-Black	06	VENICUT F XTREM CUT - VENICUTF01	3295249235826	13295249235823	60	12	4.8 kg	32.2 cm	72.4 cm	16.2 cm
VECUTF01NO07	Grey-Black	07	VENICUT F XTREM CUT - VENICUTF01	3295249235833	13295249235830	60	12	5.1 kg	32.8 cm	72.2 cm	15.2 cm
VECUTF01NO08	Grey-Black	08	VENICUT F XTREM CUT - VENICUTF01	3295249235840	13295249235847	60	12	5.4 kg	32.8 cm	72.2 cm	16.2 cm
VECUTF01NO09	Grey-Black	09	VENICUT F XTREM CUT - VENICUTF01	3295249235857	13295249235854	60	12	6.0 kg	34.6 cm	72.6 cm	16.2 cm
VECUTF01NO10	Grey-Black	10	VENICUT F XTREM CUT - VENICUTF01	3295249235864	13295249235861	60	12	6.5 kg	32.6 cm	72.2 cm	16.6 cm
VECUTF01NO11	Grey-Black	11	VENICUT F XTREM CUT - VENICUTF01	3295249235871	13295249235878	60	12	6.9 kg	32.6 cm	72.4 cm	15.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height