



Hand protection

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

Rokavica, odporna na rezanje, stopnje F, idealna za težka dela v oljnatih ali vodnih okoljih.



Posebne koristi



Enostavna uporaba

• Popolnoma se prilega, tako da uporabniki pri dolgotrajni uporabi ne čutijo nelagodja v predelu zapestja.



Uspešnost

• Vlakna Xtrem CUT za udobje in prilagodljivost v kombinaciji z najvišjo stopnjo zaščite pred urezninami na trgu
• Nitrilna prevleka omogoča ljudem, ki delajo v mastnih/mastnih okoljih, odličen oprijem predmetov, s katerimi ravnavajo.

Aplikacije

- Kmetijstvo
- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Avtomobilska

Certifikati in norme



EN 388
4 X 4 3 F



EN 407
X 1 X X X X



A6 X X

Zaščita pred tveganji



Cutting



Wearing



Perforacija



Hand protection

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

Rokavica, odporna na rezanje, stopnje F, idealna za težka dela v oljnatih ali vodnih okoljih.

Standardi - podrobnosti



EN388:2016+A1:2018

4 [0-4] ODPORNOST PROTI OBRABI
X [0-5] REZNA UPORNOST
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] OBNAŠANJE PRI GORENJU
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnične podrobnosti

Vrsta rokavic	Mehanska rokavica
Družina rokavic	Pletena prevlečena rokavica
Vrsta mehanske rokavice	Pleteno
Preja za votke	Xtremcut
Raven premaza	Prevlečena dlan
Premazni material	Nitril
Finalizacija premaza	s teksturiranim oprijemom
Število plasti	Enoslojni
Merilnik	13
Značilnost manšete	Dolga manšeta
Dolžina manšete (mm)	100
Element ugodnosti	Doseganje, Paket prodajalca, Dolga manšeta (> 290 mm)
Barva	Siva-Črna
Velikost	6, 7, 8, 9, 10, 11
Vrsta embalaže	v posameznih vrečkah

Pakiranje

Prodajna enota: v posameznih vrečkah
60 pari /box



Safety gloves

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

Level F cut-resistant glove ideal for heavy duty work in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF01NO06	Grey-Black	06	VENICUT F XTREM CUT - VENICUTF01	3295249235826	13295249235823	60	12	4.8 kg	32.2 cm	72.4 cm	16.2 cm
VECUTF01NO07	Grey-Black	07	VENICUT F XTREM CUT - VENICUTF01	3295249235833	13295249235830	60	12	5.1 kg	32.8 cm	72.2 cm	15.2 cm
VECUTF01NO08	Grey-Black	08	VENICUT F XTREM CUT - VENICUTF01	3295249235840	13295249235847	60	12	5.4 kg	32.8 cm	72.2 cm	16.2 cm
VECUTF01NO09	Grey-Black	09	VENICUT F XTREM CUT - VENICUTF01	3295249235857	13295249235854	60	12	6.0 kg	34.6 cm	72.6 cm	16.2 cm
VECUTF01NO10	Grey-Black	10	VENICUT F XTREM CUT - VENICUTF01	3295249235864	13295249235861	60	12	6.5 kg	32.6 cm	72.2 cm	16.6 cm
VECUTF01NO11	Grey-Black	11	VENICUT F XTREM CUT - VENICUTF01	3295249235871	13295249235878	60	12	6.9 kg	32.6 cm	72.4 cm	15.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height