



VENICUT52

DLHOTRVAJÚCE REZACIE PRÁCE

Ochrana rúk



Oblast použitia

- Verejné práce
- Stavby budov
- Sekundárne práce / Remeselníctvo
- Údržba
- Automotive
- Práca na dohodu

Certifikáty a normy



EN 388
3 X 4 2 D



EN 407
X 2 X X X X



A3 X X

Ochrana pred rizikami



Teplo



Porez



Opotrebenie



VENICUT52

DLHOTRVAJÚCE REZACIE PRÁCE

Ochrana rúk

Podrobnosti - Normy



EN388:2016+A1:2018

3 [0-4] ODOLNOSŤ VOČI ODERU
X [0-5] ODOLNOSŤ VOČI POREZU
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] POŽIARNA ODOLNOSŤ
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technické údaje

Typ rukavíc	Mechanická rukavica
Druh rukavíc	Povrstvené pletené rukavice
Typ rukavíc s mechanickou ochranou	Pletené
Vláknó	HEATnocut, PEHD
Miera povrstvenia	Povrstvenie na dlani
Povrstvenie	Latex
Povrstvenie povrchu	So štruktúrou suchého zipsu
Počet povrstvení	Jedna vrstva
Hustota úpletu	10
Farba	Žltá-Čierna
Veľkosť	7, 8, 9, 10
Typ balenia	Predáva sa v samostatnom balení

Balenie

Predajná jednotka: Predáva sa v samostatnom balení
60 dvojice /box



VENICUT52

LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5207	Yellow-Black	07	VENICUT52	0	0	60	12	8.3 kg	28.0 cm	34.8 cm	38.4 cm
VECUT5208	Yellow-Black	08	VENICUT52	0	0	60	12	8.9 kg	28.6 cm	34.8 cm	39.2 cm
VECUT5209	Yellow-Black	09	VENICUT52	0	0	60	12	9.4 kg	29.2 cm	37.4 cm	39.4 cm
VECUT5210	Yellow-Black	10	VENICUT52	0	0	60	12	10.0 kg	28.8 cm	37.2 cm	40.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height