



VENICUT50

LONG-LASTING CUT WORK

Hand protection



Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 X 4 2 D



EN 407
X 2 X X X X



A4 X X

Risk Protection



Heat



Cutting



Wearing



VENICUT50

LONG-LASTING CUT WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] BURNING BEHAVIOUR
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Mechanical glove
Special gloves kind	Knitted with palm leather
Fiber	HEATnocut
Gauge	10
Benefits element	Reach, Vendor pack
Color	Yellow-Grey
Size	9, 10
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
60 pairs /box



Safety gloves

VENICUT50

LONG-LASTING CUT WORK

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5009	Yellow-Grey	09	VENICUT50	0	0	60	12	10.2 kg	22.4 cm	27.2 cm	72.8 cm
VECUT5010	Yellow-Grey	10	VENICUT50	0	0	60	12	11.3 kg	66.8 cm	27.8 cm	23.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height