



Kézvédelem

VENICUT43

ALACSONY VÁGÁSI KOCKÁZAT TARTÓS MUNKA VÉGZÉS MELLETT



Alkalmazási terület

- Mezőgazdaság
- Közbeszerzések
- Építőipar
- Belső munkák / Mesterember
- Karbantartás
- Vegyipar

Minősítések és szabványok

CE II. KATEGÓRIA



EN 388
4 X 4 3 C



A3 X X

Védelmet nyújt a



Vágás



Kopás



VENICUT43

ALACSONY VÁGÁSI KOCKÁZAT TARTÓS MUNKA VÉGZÉS MELLETT

Kézvédelem

Részletek - Szabványok



EN388:2016+A1:2018

4 [0-4] KOPÁSÁLLÓSÁG

X [0-5] VÁGÁSBIZTOSSÁG VÁGÓPENGE ESETÉN

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

C [A-F] CUT RESISTANCE ISO 13997

Műszaki részletek

Kesztyű típusa	Mechanikus kesztyű
Kesztyű termékcsalád	Bevonatos kötött kesztyű
Mechanikus kesztyű típusa	Kötött
Szál	Econocut
A bevonat szintje	Palmar bevonat
Bevonóanyag	Nitril
A bevonat felülete	Sima
A bevonat száma	Egyetlen bevonat
Szálvastagság	13
Szín	Szürke-Fekete
Méret	7, 8, 9, 10
A kiszerezés típusa	3 db-os zacskó

Csomagolás

Eladó egység: 3 db-os zacskó

40 párok /box



VENICUT43

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG309	Grey-Black	09	VENICUT43	0	0	40	4	11.1 kg	30.8 cm	57.6 cm	38.4 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height