



Ochrona rąk

VENICUT43


DŁUGOTRWAŁA PRACA Z NIEWIELKIM RYZYKIEM PRZECIĘCIA



Obszar użytkowania

- Rolnictwo
- Roboty publiczne
- Budownictwo
- Prace remontowe / Rzemiosło
- Konserwacja
- Przemysł chemiczny

Certyfikaty i normy



Chroni przed



Przecięcie



Zużycie



VENICUT43

DŁUGOTRWAŁA PRACA Z NIEWIELKIM RYZYKIEM PRZECIĘCIA

Ochrona rąk

Szczegóły - Normy



EN388:2016+A1:2018

4 [0-4] ODPORNOŚĆ NA ŚCIERANIE
X [0-5] ODPORNOŚĆ NA PRZECIĘCIE OSTRYM
NARZĘDZIEM
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Dane techniczne

Rodzaj rękawic	Rękawice mechaniczne
Kolekcja rękawic	Rękawice dzianinowe powlekane
Rodzaj rękawicy mechanicznej	Dzianina
Włókno	Econocut
Zakres powleczenia	Powłoka na stronie chwytnej
Materiał powłoki	Nitryl
Wykończenie powłoki	Gładki
Liczba powłok	Pojedyncza powłoka
Ścieg	13
Kolor	Szaro-czarny
Rozmiary	7, 8, 9, 10
Rodzaj opakowania	W opakowaniu: 3

Opakowanie

Jednostka sprzedaży: W opakowaniu: 3
40 pary /box



VENICUT43

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG309	Grey-Black	09	VENICUT43	0	0	40	4	11.1 kg	30.8 cm	57.6 cm	38.4 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height