



Hand protection

# PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use



## Specific benefits



### Performance

- Extra thick and long for extra protection of the entire arm

## Applications

- Building
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining
- Petrochemical

## Certifications and norms

**CE** CATEGORY III



**EN 388**  
3 1 2 1 X



**EN ISO 374-1**  
TYPE B  
AKL



**EN ISO 374-5**

## Risk Protection



Biological



Wearing



Chemical



Particules



Hand protection

# PVCC400

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

### Standards - Details



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997



#### EN 374

A : MÉTHANOL  
K  
L

### Technical details

|                      |                           |
|----------------------|---------------------------|
| Glove kind           | Tight glove               |
| Glove family         | Tight glove supported     |
| Tight glove kind     | Supported                 |
| Coating Level        | Full Coating              |
| Coating Material     | PVC                       |
| Coating Finish       | Smooth                    |
| Number of Coatings   | Single Coated             |
| Lining material      | Cotton Textile            |
| Thickness (mm)       | 1,20 -> 1,40              |
| Arm level protection | Elbow cuff (<= 500mm)     |
| Benefits element     | Reach, Long cuff (>290mm) |
| Color                | Red                       |
| Size                 | 10                        |
| Type of conditioning | Bulk bag of 12            |

### Packaging

Sale unit: Bulk bag of 12  
120 pairs /box



Hand protection

# PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

## Permeation table

| Chemicals            | Letter | CAS #     | Permeation level | Permeation time (minutes) | Dégradation moyenne |
|----------------------|--------|-----------|------------------|---------------------------|---------------------|
| Methanol             | A      | 67-56-1   | 2                | 30                        | -4.7%               |
| Sodium Hydroxyde 40% | K      | 1310-73-2 | 6                | 480                       | -0.1%               |
| Acide Sulfurique 96% | L      | 7664-93-9 | 5                | 240                       | 0.1%                |



手部防护

# 201402

## 长期耐化学风险作业

防化手套，提供完整前臂保护，防止长时间使用时油和碳氢化合物的伤害

### 物流信息

| 产品代码      | 颜色 | 尺码 | 六位码    | 条形码           | 箱码             |  |  | 重量       |  |  |  |
|-----------|----|----|--------|---------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PVCC40010 | 红色 | 10 | 201402 | 3295249134396 | 13295249134393 | 120                                                                                 | 12                                                                                  | 40.16 kg | 78.0 cm                                                                             | 41.0 cm                                                                             | 32.0 cm                                                                             |

 箱规

 最低销售

 箱长

 箱宽

 箱高