



Hand protection

NI150

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof to the mid-back with increased comfort and breathability



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
3 1 1 1 X

Applications

- Public works
- Building
- Maintenance
- Automotive
- Temporary work
- Water and waste treatment

Protects against risks



Wearing



Hand protection

NI150

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof to the mid-back with increased comfort and breathability

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Cotton
Coating level	3/4 Coated
Coating material	Nitrile
Coating finition	Smooth, Grip-textured
Number of layer	Single layer
Cuff characteristic	Added knitted cuff
Benefits element	Reach
Color	Blue
Size	7, 8, 9, 10
Type of packaging	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
120 pairs /box



Safety gloves

NI150

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof to the mid-back with increased comfort and breathability

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
NI15007	Blue	07	NI150	3295249010751	13295249010758	120	12	10.8 kg	40.0 cm	59.5 cm	27.0 cm
NI15008	Blue	08	NI150	3295249106737	13295249106734	120	12	10.5 kg	26.2 cm	53.0 cm	37.2 cm
NI15009	Blue	09	NI150	3295249016630	13295249016637	120	12	11.1 kg	27.2 cm	58.6 cm	37.4 cm
NI15010	Blue	10	NI150	3295249010768	13295249010765	120	12	13.0 kg	27.0 cm	62.4 cm	37.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height