



Oprema protiv pada

LV102100

NAPRAVE ZA UČVRŠĆENJE

Produživo uže od 1 metra omogućuje jednostavno izvlačenje žrtve



Prednosti



Trajnost

· Iznimno čvrsta traka zahvaljujući vrsti tkanja i materijalu te širini

Područje upotrebe

- Poljoprivreda
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Kemijska industrija
- Nafta i plin (vađenje)

Certifikati i standardi



EN354

EN 795
TIP B

Štiti od



Pad



LV102100

NAPRAVE ZA UČVRŠĆENJE

Produživo uže od 1 metra omogućuje jednostavno izvlačenje žrtve

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Produžni remen s D-prstenom
Sastav glavnog nosača	Čelik, Poliester
Duljina (m)	1
Width (inch)	1.7685
Širina (mm)	45
Boja	Crna-Narančasta
Završetak	Kopča na zatezanje
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	0,222
Radne situacije za zaštitu od pada	Zadržavanje, Spašavanje i evakuacija, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi za radove na užetu, Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Dugotrajno horizontalno kretanje na horizontalnoj podlozi, Dugotrajno horizontalno kretanje na vertikalnoj podlozi, Kratkotrajno horizontalno kretanje (- 3m)
Duljina (ft)	3.2808



Fall protection

LV102100

ANCHORAGE DEVICES

Anchorage strap that can also be used as an evacuation strap, to be connected to the harness's D-ring - 1m

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV102100	Black-Orange	1 m	LV102100	3660348006316	13660348006313	15	1	4.34 kg	44.0 cm	28.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height