



Zaštita ruku

V1600

JEDNOKRATNA UPORABA

Jednokratne taktilne kemijske rukavice od nitrila koje pružaju izvrsna svojstva hvatanja u masnim okruženjima zahvaljujući dijamantnoj izbočenoj teksturi.



Prednosti



Jednostavna upotreba

· Rukavice su taktilne, pa se ne moraju skidati prilikom upotrebe tableta ili pametnog telefona



Higijena

· Zahvaljujući nitrilu ne postoji rizik od izazivanja alergijskih reakcija kod korisnika



Performanse

· Nitrilni premaz omogućuje osobama koje rade u okruženju u kojem ima ulja i masti lakše držanje predmeta kojima se rukuje.



Kompatibilnost

· Dvostrane rukavice

Područje upotrebe

- Poljoprivreda
- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Teška industrija
- Održavanje

Certifikati i standardi



EN ISO 374-1
TIP B
JKT



EN ISO 374-5

VIRUS



EN ISO 374-5

Štiti od



Biološke



Kemijske



Čestice



Zaštita ruku

V1600

JEDNOKRATNA UPORABA

Jednokratne taktilne kemijske rukavice od nitrila koje pružaju izvrsna svojstva hvatanja u masnim okruženjima zahvaljujući dijamantnoj izbočenoj teksturi.

Pojedinosti - Standardi



EN 374

J
K
T

Tehnički detalji

Vrsta rukavica	Nepropusne rukavice
Asortiman	Nepropusne rukavice bez pudera i s podstavom
Nepropusne rukavice	Bez podstave
Razina premaza	Potpuni premaz
Vrsta premaza	Nitril
Završni premaz	Prianjujući teksturirani materijal
Broj premaza	Jednoslojni premaz
Unutarnja obrada	Bez pudera
Debljina (mm)	0.17
Razina zaštite ruke	Duljina: standardna (< 290 mm)
Dodatna pogodnost	Taktilno
Boja	Crna
Veličina	6, 7, 8, 9, 10
Vijek upotrebe nakon datuma proizvodnje (godine)	5
Vrsta pakiranja	Kutija od 50 komada

Pakiranje

Prodajna jedinica: Kutija od 50 komada
10 parovi /kutija



Zaštita ruku

V1600

JEDNOKRATNA UPORABA

Jednokratne taktilne kemijske rukavice od nitrila koje pružaju izvrsna svojstva hvatanja u masnim okruženjima zahvaljujući dijamantnoj izbočenoj teksturi.

Permeacijska tablica

Kemikalije	Pismo	CAS broj	Razina propusnosti	Vrijeme permeacije (minute)	Dégradation moyenne
n-Heptane	J	CAS 142-82-5	4	120	47,5%
Sodium hydroxide 40%	K	CAS 1310-73-2	6	480	-11,1%
Formaldehyde 37%	T	CAS 50-00-0	5	240	36,3%



Safety gloves

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
V1600B5006	Black	6/7	V1600	3295249305864	13295249305861	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
V1600B5007	Black	7/8	V1600	3295249305871	13295249305878	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
V1600B5008	Black	8/9	V1600	3295249305888	13295249305885	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
V1600B5009	Black	9/10	V1600	3295249305895	13295249305892	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
V1600B5010	Black	10/11	V1600	3295249305901	13295249305908	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height